

MUNICIPAL CORPORATION OF DELHI
PUBLIC HEALTH DEPARTMENT
SHAHDARA (SOUTH) ZONE
419 1st Floor, UDYOG SADAN
PATPARGANJ INDUSTRIAL AREA DELHI-110092

No.DHO/Shd. (S)/2025/ 1168

Date- 7/5/2025


SCHOOL HEALTH CERTIFICATE

1. Name of the School	:Amity Inyernational School
2. Location of the School	:Mayur Vihar Phase - I Delhi-91
3. Timing of the School	: 08.00 AM to 01.30 PM
4. No of Students	: 1687 (896 Boys & 791 Girls)
5. No of Doors in each	:02 Doors
6. Building Structure	:Pucca
7. No of Fans in Each room	:04 Fans
8. No of Rooms	:65
9. Electricity	:BSES
10. Water Supply	: DJB
11. No of Urinals & WCS	: 85
12. No of Staff	:110

At the time of Inspection School is found running under sanitary and hygienic conditions. This certificate has no bearing on Unauthorized Construction of the Premises if any and on any dispute regarding title of Land.

This Certificate /NOC is valid for (01) One year only

*Validity till
Valid till NOC*


Deputy Health Officer
Shahdara (South) Zone

The Principal
Amity Inyernational School
Mayur Vihar Phase - I Delhi-91



SFTS LABORATORY PVT. LTD.

(An ISO/IEC 17025: 2017 (NABL ACCREDITED) Laboratory

ISO 9001: 2015, 14001: 2015 Certified Laboratory

Khasra No-65, First Floor, Bank of Baroda, Shahbad Daulatpur, Delhi-110042

E-mail : safteslab@gmail.com, info@saffoodtestinglab.com

Mob.: 8800581580, 9015196486 | Website : saffoodtestinglab.com



TC-11415

TEST REPORT

ULR No.-TC114152500000142F

Products Group: Water

CUSTOMER DETAILS

Issued to: M/s- AMITY INTERNATIONAL SCHOOL	Report No.	SFTSL/W/20250311-002
Address:- PHASE-1, MAYUR VIHAR, DELHI-110091	Report Issue Date	20/03/2025
	Date of Customer Request	11/03/2025

Sample Particulars:

Name of The Product:	Drinking Water	Sample Received Date	11/03/2025
Product Description:	Clear Colour less Liquid	Sample Registration Date	11/03/2025
Batch No./Lot No.:	NA	Analysis Starting Date	11/03/2025
Date of Manufacturing:	NA	Analysis Completion Date	20/03/2025
Date of Expiry:	NA	Date of Sampling:	NA
Packing Condition:	Pet Bottle	Sample Received/ Collected By:	Mr. Sumit
Quantity Received:	10 x 1 Ltr.	Instrument ID (if any)	NA
Testing Required:	As Per IS 10500	Location:	NA

TEST RESULTS

Sr. No.	Test Parameter	Results	Acceptable Limit (as per IS:10500)	Permissible Limit (as per IS:10500)	Method of Testing
Chemical Analysis:					
1	Colour, Hazen	<5.0	5	15 Max.	IS:3025 (Part-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (Part-5)
3	pH Value	7.35	6.5 to 8.5	No Relaxation	IS:3025 (Part-11)
4	Turbidity, NTU	<1.0	1.0	5.0 Max.	IS:3025 (Part-10)
5	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (Part-7 & 8)
6	Total Dissolved Solids mg/L	115	500	2000 Max.	IS:3025 (Part-16)
7	Calcium (as Ca), mg/L	18.4	75	200 Max.	IS:3025 (Part-40)
8	Magnesium (as Mg), mg/L	1.89	30	100 Max.	IS:3025 (Part-46)
9	Residual free Chlorine, mg/L	<0.2	0.2	1.0 Max.	IS :3025 (Part-26)
10	Chloride (as Cl), mg/L	20.5	250	1000 Max.	IS:3025 (Part-32)
11	Nitrate (as NO ₃), mg/L	BLQ (1.0)	45	No Relaxation	IS :3025 (Part-34)
12	Sulphate (as SO ₄), mg/L	6.9	200	400 Max.	IS :3025 (Part-24)
13	Total Hardness (as CaCO ₃) mg/L	53.8	200	600 Max.	IS:3025 (Part-21)
14	Fluoride (as F), mg/L	<0.05	1.0	1.5 Max.	IS:3025 (Part-60)

Remark: The sample conforms to IS 10500: 2012 to the above tested parameters.

Note: 1) The test report will not be reproduced except in full, without approval from the SFTS laboratory Private Limited. 2) The Above results applied for sample as received in the lab only.

3) The test results refer to applicable parameters only.

Checked By
Sachin Kumar
Technical Manager

SFTS LABORATORY PRIVATE LIMITED
Devi Anja Som
Quality Manager
(Authorized Signatory)

*****End of Report*****

NOTE: The laboratory accepts the responsibility for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report be communicated in writing





SFTS LABORATORY PVT. LTD.

ISO 9001: 2015, 14001: 2015 Certified Laboratory

Khasra No-65, First Floor, Bank of Baroda, Shahbad Daulatpur, Delhi-110042

E-mail : safteslab@gmail.com, info@saffoodtestinglab.com

Mob.: 8800581580, 9015196486 | Website : saffoodtestinglab.com



TEST REPORT

Products Group: Water

CUSTOMER DETAILS

Issued to: M/s- AMITY INTERNATIONAL SCHOOL Address:- PHASE-1, MAYUR VIHAR, DELHI-110091	Report No.	SFTSL/W/20250311-002
	Report Issue Date	20/03/2025
	Date of Customer Request	11/03/2025

Sample Particulars:

Name of The Product:	Drinking Water	Sample Received Date	11/03/2025
Product Description:	Clear Colour less Liquid	Sample Registration Date	11/03/2025
Batch No./Lot No.:	NA	Analysis Starting Date	11/03/2025
Date of Manufacturing:	NA	Analysis Completion Date	20/03/2025
Date of Expiry:	NA	Date of Sampling:	NA
Packing Condition:	Pet Bottle	Sample Received/ Collected By:	Mr. Sumit
Quantity Received:	10 x 1 Ltr.	Instrument ID (if any)	NA
Testing Required:	As Per IS 10500	Location:	NA

TEST RESULTS

Sr. No.	Test Parameter	Results	Acceptable Limit (as per IS:10500)	Permissible Limit (as per IS:10500)	Method of Testing
1	Phenolic Compounds (as C ₆ H ₅ OH), mg/L	BLQ(0.001)	0.001	0.002 Max.	IS: 3025 (Part-43)
2	Ammonia (as Total Ammonia-N), mg/L	BLQ(0.5)	0.5	No Relaxation	IS:3025 (Part-34)
3	Sulphide (as H ₂ S), mg/L	BLQ(0.05)	0.05	No Relaxation	IS:3025 (Part-29)
4	Total Alkalinity (as HCO ₃) mg/L	25.6	200	600 Max.	IS:3025 (Part-23)
5	Chloramines (as Cl ₂),mg/L	BLQ(2.0)	4.0	No Relaxation	IS:3025 (Part-26)
6	Cyanide (as CN), mg/L	BLQ(0.05)	0.05	No Relaxation	IS :3025 (Part-27)
7	Anionic detergent (as MBAS), mg/L	BLQ(0.2)	0.2	1.0 Max.	Annex K of IS:13428
Pesticide Residues(µg/L):					
1	2,4 DDT, (µg/L)	BLQ(0.01)	1	-	SFTSL/CHEM/SOP/042
2	4,4 DDT, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
3	4,4 DDE, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
4	2,4-DDE, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
5	4,4-DDD, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
6	2,4-DDD, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
7	Gamma-HCH, (µg/L)	BLQ(0.01)		2	-

Note: 1) BLQ=Below Limit of Quantification.

2) Figure in bracket indicate limit of quantification.


Checked By
Sachin Kumar
Technical Manager


(Authorized Signatory)

*****End of Report*****

NOTE: The laboratory accepts the responsibility for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report be communicated in writing





SFTS LABORATORY PVT. LTD.

ISO 9001: 2015, 14001: 2015 Certified Laboratory



Khasra No-65, First Floor, Bank of Baroda, Shahbad Daulatpur, Delhi-110042

E-mail : safeslab@gmail.com, info@saffoodtestinglab.com

Mob.: 8800581580, 9015196486 | Website : safefoodtestinglab.com

TEST REPORT

Products Group: Water

CUSTOMER DETAILS

Issued to: M/s- AMITY INTERNATIONAL SCHOOL	Report No.	SFTSL/W/20250311-002
Address:- PHASE-1, MAYUR VIHAR, DELHI-110091	Report Issue Date	20/03/2025
	Date of Customer Request	11/03/2025

Sample Particulars:

Name of The Product:	Drinking Water	Sample Received Date	11/03/2025
Product Description:	Clear Colour less Liquid	Sample Registration Date	11/03/2025
Batch No./Lot No.:	NA	Analysis Starting Date	11/03/2025
Date of Manufacturing:	NA	Analysis Completion Date	20/03/2025
Date of Expiry:	NA	Date of Sampling:	NA
Packing Condition:	Pet Bottle	Sample Received/ Collected By:	Mr. Sumit
Quantity Received:	10 x 1 Ltr.	Instrument ID (if any)	NA
Testing Required:	As Per IS 10500	Location:	NA

TEST RESULTS

Sr. No.	Test Parameter	Results	Acceptable Limit (as per IS:10500)	Permissible Limit (as per IS:10500)	Method of Testing
8	Alpha-HCH, (µg/L)	BLQ(0.01)	0.01	-	SFTSL/CHEM/SOP/042
9	Beta-HCH, (µg/L)	BLQ(0.01)	0.04	-	SFTSL/CHEM/SOP/042
10	Delta-HCH, (µg/L)	BLQ(0.01)	0.04	-	SFTSL/CHEM/SOP/042
11	Alpha-endosulphan, (µg/L)	BLQ(0.01)	0.4	-	SFTSL/CHEM/SOP/042
12	Beta-endosulphan, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
13	Endosulphansulphate, (µg/L)	BLQ(0.01)		-	SFTSL/CHEM/SOP/042
14	Monocrotophos, (µg/L)	BLQ(0.01)	1	-	SFTSL/CHEM/SOP/042
15	Ethion, (µg/L)	BLQ(0.01)	3	-	SFTSL/CHEM/SOP/042
16	Chloropyrifos, (µg/L)	BLQ(0.01)	30	-	SFTSL/CHEM/SOP/042
17	2,4- D, (µg/L), (µg/L)	BLQ(0.01)	30	-	SFTSL/CHEM/SOP/042
18	Isoproturon, (µg/L)	BLQ(0.01)	9	-	SFTSL/CHEM/SOP/042
19	Alachlor, (µg/L)	BLQ(0.01)	20	-	SFTSL/CHEM/SOP/042
20	Atrazine, (µg/L)	BLQ(0.01)	2	-	SFTSL/CHEM/SOP/042
21	Methyl Parathion, (µg/L)	BLQ(0.01)	0.3	-	SFTSL/CHEM/SOP/042
22	Malathion, (µg/L)	BLQ(0.01)	190	-	SFTSL/CHEM/SOP/042
23	Aldrin, (µg/L)	BLQ(0.01)	0.03	-	SFTSL/CHEM/SOP/042
24	Dieldrin, (µg/L)	BLQ(0.01)	0.03	-	SFTSL/CHEM/SOP/042

Remark: The sample conform to IS 10500: 2012 to the above tested parameters

Checked By

Sachin Kumar

Technical Manager



Quality Manager

(Authorized Signatory)

*****End of Report*****

NOTE: The laboratory accepts the responsibility for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report be communicated in writing





SFTS LABORATORY PVT. LTD.

ISO 9001: 2015, 14001: 2015 Certified Laboratory



Khasra No-65, First Floor, Bank of Baroda, Shahbad Daulatpur, Delhi-110042

E-mail : safteslab@gmail.com, info@saffoodtestinglab.com

Mob.: 8800581580, 9015196486 | Website : saffoodtestinglab.com

TEST REPORT

Products Group: Water

CUSTOMER DETAILS

Issued to: M/s- AMITY INTERNATIONAL SCHOOL	Report No.	SFTSL/W/20250311-002
Address:- PHASE-1, MAYUR VIHAR, DELHI-110091	Report Issue Date	20/03/2025
	Date of Customer Request	11/03/2025

Sample Particulars:

Name of The Product:	Drinking Water	Sample Received Date	11/03/2025
Product Description:	Clear Colour less Liquid	Sample Registration Date	11/03/2025
Batch No./Lot No.:	NA	Analysis Starting Date	11/03/2025
Date of Manufacturing:	NA	Analysis Completion Date	20/03/2025
Date of Expiry:	NA	Date of Sampling:	NA
Packing Condition:	Pet Bottle	Sample Received/ Collected By:	Mr. Sumit
Quantity Received:	10 x 1 Ltr.	Instrument ID (if any)	NA
Testing Required:	As Per IS 10500	Location:	NA

TEST RESULTS

Sr. No.	Test Parameter	Results	Acceptable Limit (as per IS:10500)	Permissible Limit (as per IS:10500)	Method of Testing
25	Phorate, (µg/L)	BLQ(0.01)	2	-	SFTSL/CHEM/SOP/042
26	Butachlor, (µg/L)	BLQ(0.01)	125	-	SFTSL/CHEM/SOP/042
Trihalomethanes (THM),mg/L:					
1	Bromoform	<0.005	--	0.1 Max	SFTSL/CHEM/SOP/042
2	Dibromo Chloromethane	<0.005	--	0.1 Max	SFTSL/CHEM/SOP/042
3	Bormo Dichloromethane	<0.005	--	0.06 Max	SFTSL/CHEM/SOP/042
4	Chloroform	<0.005	--	0.2 Max	SFTSL/CHEM/SOP/042
Metal Analysis (mg/L):					
1	Manganese (as Mn)	BLQ(0.005)	0.1	0.3 Max.	SFTSL/CHEM/SOP/043
2	Copper (as Cu)	0.024	0.05	1.5 Max.	SFTSL/CHEM/SOP/043
3	Cadmium (as Cd)	BLQ(0.001)	0.003	No Relaxation	SFTSL/CHEM/SOP/043
4	Iron (as Fe)	BLQ(0.1)	0.3	No Relaxation	SFTSL/CHEM/SOP/043
5	Aluminum (as Al)	BLQ(0.005)	0.03	0.2 Max.	SFTSL/CHEM/SOP/043
6	Arsenic (as As)	BLQ(0.005)	0.01	0.05 Max.	SFTSL/CHEM/SOP/043
7	Lead (as Pb)	BLQ(0.005)	0.01	No Relaxation	SFTSL/CHEM/SOP/043
8	Silver (as Ag)	BLQ(0.005)	0.1	No Relaxation	SFTSL/CHEM/SOP/043

Remark: The sample conform to IS 10500: 2012 to the above tested parameters.


 Checked By
 Sachin Kumar
 Technical Manager


 Devendra Soni
 Quality Manager
 (Authorized Signatory)

*****End of Report*****

NOTE: The laboratory accepts the responsibility for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report be communicated in writing





SFTS LABORATORY PVT. LTD.

ISO 9001: 2015, 14001: 2015 Certified Laboratory



Khasra No-65, First Floor, Bank of Baroda, Shahbad Daulatpur, Delhi-110042

E-mail : safteslab@gmail.com, info@saffoodtestinglab.com

Mob.: 8800581580, 9015196486 | Website : safefoodtestinglab.com

TEST REPORT

Products Group: Water

CUSTOMER DETAILS

Issued to: M/s- AMITY INTERNATIONAL SCHOOL	Report No.	SFTSL/W/20250311-002
Address:- PHASE-1, MAYUR VIHAR, DELHI-110091	Report Issue Date	20/03/2025
	Date of Customer Request	11/03/2025

Sample Particulars:

Name of The Product:	Drinking Water	Sample Received Date	11/03/2025
Product Description:	Clear Colour less Liquid	Sample Registration Date	11/03/2025
Batch No./Lot No.:	NA	Analysis Starting Date	11/03/2025
Date of Manufacturing:	NA	Analysis Completion Date	20/03/2025
Date of Expiry:	NA	Date of Sampling:	NA
Packing Condition:	Pet Bottle	Sample Received/ Collected By:	Mr. Sumit
Quantity Received:	10 x 1 Ltr.	Instrument ID (if any)	NA
Testing Required:	As Per IS 10500	Location:	NA

TEST RESULTS

Sr. No.	Test Parameter	Results	Acceptable Limit (as per IS:10500)	Permissible Limit (as per IS:10500)	Method of Testing
9	Zinc (as Zn)	BLQ(0.01)	5	15 Max.	SFTSL/CHEM/SOP/043
10	Chromium (as Cr)	BLQ(0.005)	0.05	No Relaxation	SFTSL/CHEM/SOP/043
11	Mercury (as Hg)	BLQ(0.0001)	0.001	No Relaxation	SFTSL/CHEM/SOP/043
12	Boron (as B)	BLQ(0.01)	0.5	1.0 Max.	SFTSL/CHEM/SOP/043
13	Selenium (as Se)	BLQ(0.005)	0.01	No Relaxation	SFTSL/CHEM/SOP/043
14	Barium (as Ba)	BLQ(0.01)	0.7	No Relaxation	SFTSL/CHEM/SOP/043
15	Nickel (as Ni)	BLQ(0.005)	0.02	No Relaxation	SFTSL/CHEM/SOP/043
16	Molybdenum (as Mo)	BLQ(0.005)	0.07	No Relaxation	SFTSL/CHEM/SOP/043
17	Mineral Oil, mg/L	BLQ(0.5)	0.5	No Relaxation	IS :3025 (Part-39)
18	Polychlorinated Biphenyls (as PCBs), mg/L	BLQ(0.0001)	0.0005	-	SFTSL/CHEM/SOP/042
19	Polynuclear aromatic hydrocarbons (as PAH), mg/L	BLQ(0.0001)	0.0001	-	SFTSL/CHEM/SOP/042

Remark: The sample conform to IS 10500: 2012 to the above tested parameters.


 Checked By
 Sachin Kumar
 Technical Manager


 Devendra Soni
 Quality Manager
 (Authorized Signatory)

*****End of Report*****

NOTE: The laboratory accepts the responsibility for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report be communicated in writing





SFTS LABORATORY PVT. LTD.

ISO 9001: 2015, 14001: 2015 Certified Laboratory

Khasra No-65, First Floor, Bank of Baroda, Shahbad Daulatpur, Delhi-110042

E-mail : safeslab@gmail.com, info@saffoodtestinglab.com

Mob.: 8800581580, 9015196486 | Website : safefoodtestinglab.com



TEST REPORT

Products Group: Water

CUSTOMER DETAILS

Issued to: M/s- AMITY INTERNATIONAL SCHOOL Address:- PHASE-1, MAYUR VIHAR, DELHI-110091	Report No.	SFTSL/W/20250311-002
	Report Issue Date	20/03/2025
	Date of Customer Request	11/03/2025

Sample Particulars:

Name of The Product:	Drinking Water	Sample Received Date	11/03/2025
Product Description:	Clear Colour less Liquid	Sample Registration Date	11/03/2025
Batch No./Lot No.:	NA	Analysis Starting Date	11/03/2025
Date of Manufacturing:	NA	Analysis Completion Date	20/03/2025
Date of Expiry:	NA	Date of Sampling:	NA
Packing Condition:	Pet Bottle	Sample Received/ Collected By:	Mr. Sumit
Quantity Received:	10 x 1 Ltr.	Instrument ID (if any)	NA
Testing Required:	As Per IS 10500	Location:	NA

TEST RESULTS

Sr. No.	Test Parameter	Results	Acceptable Limit (as per IS:10500)	Permissible Limit (as per IS:10500)	Method of Testing
Microbiological Analysis (per 100 ml)					
1	Coliform	Absent	Absent	No Relaxation	IS:15185:2016
2	E. coli	Absent	Absent	No Relaxation	IS:15185:2016

Remarks: Any addition to Deviation or exclusions from the method: No

I hereby attest to the authenticity/ of the test report that the data is correct and accurate to the best of my knowledge and that the testing was performed by the procedure described in the SOP/Standard. I hereby attest that this test was conducted within compliance. The test report was performed to meet the requirements as per IS: 10500.

Remark: The sample conform to IS 10500: 2012 to the above tested parameters.

Checked By
Sachin Kumar
Technical Manager

LABORATORY PRIVATE LIMITED
SFTS
Devendra Soni
Quality Manager
(Authorized Signatory)

*****End of Report*****

NOTE: The laboratory accepts the responsibility for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report be communicated in writing

