



# AMITY INTERNATIONAL SCHOOL

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693

E-mail: principal@aispv.amity.edu

Appendix - IX

## Mandatory Public Disclosure

### A: GENERAL INFORMATION:

SL NO.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	AMITY INTERNATIONAL SCHOOL, PUSHP VIHAR
2	AFFILIATION NO.(IF APPLICABLE)	2730612
3	SCHOOL CODE (IF APPLICABLE)	25173
4	COMPLETE ADDRESS WITH PIN CODE	AMITY INTERNATIONAL SCHOOL, PUSHP VIHAR, SECTOR- 7 , NEW DELHI- 110017
5	PRINCIPAL NAME & QUALIFICATION:	NAME: MS. AMEETA MOHAN QUALIFICATION: M.PHIL, B.ED
6	SCHOOL EMAIL ID	principal@aispv.amity.edu
7	CONTACT DETAILS (LANDLINE/MOBILE)	Landline: 011-29561561/1693 Mobile: 8448189201

### B: DOCUMENTS AND INFORMATION:

SL NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	Annexure - 1
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	Annexure- 2
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	Annexure - 3
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT,2009, AND IT'S RENEWAL IF APPLICABLE	Annexure - 4
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	Annexure- 5
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	Annexure- 6, Renewal awaited after Lockdown
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATION OR SELF CERTIFICATION BY SCHOOL	Annexure- 7
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	Annexure-8

*Ameeta Mohan*  
**Principal**  
Amity International School  
Pushp Vihar, New Delhi, 110017



South Asia

ISO 9001 : 2008 Certified School

*Ameeta Mohan*  
**Manager**

**Amity International School**  
Pushp Vihar, New Delhi-110017



# AMITY INTERNATIONAL SCHOOL

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693  
E-mail: principal@aispv.amity.edu

## C: RESULT AND ACADEMICS:

S.NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	FEE STRUCTURE OF THE SCHOOL	Annexure - 9
2	ANNUAL ACADEMIC CALANDER.	Annexure- 10
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	Annexure- 11
4	LIST OF PARENTS TEACHERS' ASSOCIATION (PTA) MEMBERS	Annexure- 12
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABLILITY	3 YEARS

## RESULT CLASS: X

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2018-19	210	210	100%	ALL INDIA RANK 2-DELHI REGION- RANK - 1 SCHOOL AVERAGE= 89.46% 197 / 210 STUDENTS GOT DISTINCTION
2	2019-20	236	236	100%	SCHOOL AVERAGE= 88% 219 / 236 STUDENTS GOT DISTINCTION
3	2020-21	161	161	100%	SCHOOL AVERAGE= 89.68% 156 / 161 STUDENTS GOT DISTINCTION

*Anneeta Tolan*

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

*Anneeta Tolan*

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School



# AMITY INTERNATIONAL SCHOOL

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693  
E-mail: principal@aispv.amity.edu

## RESULT CLASS: XII

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2018-19	193	193	100%	<b>SCHOOL AVERAGE=87.39%</b> 176 / 193 STUDENTS GOT DISTINCTION. 23 STUDENTS SCORED SUBJECT WISE 100% IN ACCOUNTS, MATHS, PSYCHOLOGY, POLITICAL SCIENCE, PAINTING, INFORMATION PRACTICE.
2	2019-20	206	206	100%	<b>SCHOOL AVERAGE= 89.79%</b> 204/206 STUDENTS GOT DISTINCTION 21 STUDENTS SCORED SUBJECT WISE 100% IN MATHEMATICS, ACCOUNTS, PSYCHOLOGY, PHYSICAL EDUCATION, PAINTING
3	2020-21	249	249	100%	<b>SCHOOL AVERAGE= 93.29%</b> 11 STUDENTS SCORED SUBJECT WISE 100% IN MATHS, ACCOUNTS, PSYCHOLOGY, PAINTING, PHYSICAL EDUCATION

*Amrita Tolan*

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

*Amrita Tolan*

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School



# AMITY INTERNATIONAL SCHOOL

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693

E-mail: principal@aispv.amity.edu

## D: STAFF (TEACHING)

S.NO.	INFORMATION	DETAILS
1	PRINCIPAL	01 ( Ameeta Mohan)
2	TOTAL NO. OF TEACHERS	124
	o PGT	21
	o TGT	36
	o PRT	67
3	TEACHERS SECTION RATIO	1:1.5
4	DETAILS OF SPECIAL EDUCATOR	01 (Ayaana Mukherjee)
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	02 (Deepa Chopra Sharma & Saloni Bhatti)

## E: SCHOOL INFRASTRUCTURE:

S.NO.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	9627.4714 SQMS
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	NO. CLASS ROOMS = 67 SIZE = 37.174 (SQ MTR) & 46.468 (SQ MTR)
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTERLABS (IN SQ MTR)	NO. OF LABORATORIES = 9 PHYSICS LAB = 84.124 (SQ MTR) CHEMISTRY LAB = 98.674 (SQ MTR) BIOLOGY LAB = 86.65 (SQ MTR) SIZE OF COMPUTER LAB= 50.238 (SQ MTR) COMPUTER LAB = 46.435 (SQ MTR)
4	INTERNET FACILITY (Y/N)	YES
5	NO. OF GIRLS TOILETS	50
6	NO. OF BOYS TOILETS	45
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOLCOVERING THE INFRASTRUCTURE OF THE SCHOOL	Inspection not as yet carried out

*Ameeta Mohan*

**Principal**  
Amity International School  
Pushp Vihar, New Delhi-110017

*Ameeta Mohan*

**Manager**  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School



# केन्द्रीय माध्यमिक शिक्षा बोर्ड

(मानव संसाधन विकास मंत्रालय भारत सरकार के अन्तर्गत एक स्वायत्त संस्थान)  
प्रीत विहार, दिल्ली - 110 092, भारत



## संबद्धता प्रमाण - पत्र

107373

यह प्रमाणित किया जाता है कि एमिटी इंटरनेशनल स्कूल, पुश्प विहार, दक्षिण दिल्ली-110017

बोर्ड की माध्यमिक (कक्षा-10)

एवं वरिष्ठ माध्यमिक (कक्षा-12) स्तर तक की परीक्षाओं के लिए केन्द्रीय माध्यमिक शिक्षा बोर्ड, दिल्ली से अस्थायी रूप से संबद्धता प्राप्त है तथा इस विद्यालय की संबद्धता संख्या 2730612 है।

सचिव

केन्द्रीय माध्यमिक शिक्षा बोर्ड

अध्यक्ष

केन्द्रीय माध्यमिक शिक्षा बोर्ड

दिनांक : 12 नवंबर, 2015

विद्यालय की संबद्धता की वर्तमान स्थिति जानने के लिए कृपया बोर्ड की वेबसाइट : [www.cbse.nic.in](http://www.cbse.nic.in) का अवलोकन करें।

## Central Board of Secondary Education

(An Autonomous Organisation under the Union Ministry of Human Resource Development, Govt. of India)

PREET VIHAR, DELHI - 110 092, INDIA

## CERTIFICATE OF AFFILIATION

This is to certify that AMITY INTERNATIONAL SCHOOL, PUSHP VIHAR, SOUTH DELHI- 110017

is provisionally affiliated  
with Central Board of Secondary Education, Delhi for Secondary (Class-X) and  
Senior Secondary (Class-XII) Level Examinations of the Board and the Affiliation  
Number of the school is 2730612

Secretary

Central Board of Secondary Education

Chairman

Central Board of Secondary Education

Date : 12th November, 2015

For current status of affiliation of the school, please visit CBSE website : [www.cbse.nic.in](http://www.cbse.nic.in)

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

AMENDED CERTIFICATE OF REGISTRATION  
SOCIETIES REGISTRATION ACT XXI  
OF 1860

NO. S 66 OF 1932

I hereby certify that "In pursuance of Section 12 and 12A,  
the name of the Society has been changed from  
INDRAPRASTHA HINDU GIRLS HIGH SCHOOL  
DELHI to INDRAPRASTHA SCHOOL SOCIETY  
" w. e. f. \_\_\_\_\_ under the SOCIETIES  
REGISTRATION ACT OF 1860.

GIVEN UNDER MY HAND AT DELHI ON THIS 26 day of  
July Two thousand Two

Amended fee of  
Re. 1/- (One only) received.

*idhar*  
*26/7/02*  
Registrar of Societies  
Govt. of Delhi  
DELHI



Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

*Amrita*  
Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

please quote this number in all your future correspondence

*Amrita Tolan*

*Amrita Tolan*

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

No. 1106

Dt: 11/10/04

To

The Secretary,  
Indraprastha School Society,  
E-27, Defence Colony,  
New Delhi

Sub: Req. issuance of Essentiality Certificate under  
Rule 44 of DSER 1973 for opening a new Sr. Sec. School.

Sir,

This is with reference to your application dated 22.7.04 for opening a new Sr. Sec. School under Rule 44 of DSER. I am directed to state that the appropriate authority, after considering the particulars specified in the application form has accepted the proposal to establish a new school from nursery to XII class in Zone 23 of Distt. South.

2. The said acceptance to establish a new school in Zone - 23 of Distt. South shall be valid upto 30.6.2010. Please note that no extension to this limit of 05 (five) years would be granted under any circumstances.
3. The acceptance to establish new school will automatically lapse, if the Society/Trust fails to obtain recognition from the appropriate authority after fulfilling the conditions of recognition as laid down in Rules 50 & 51 of DSEA & Rules, 1973 and sub-section (I) of section 4 of DSEA & Rules, 1973 within a period of FIVE years.
4. Standard preliminary norms for recognition of the school are enclosed for favour of your appraisal and guidance.
5. This is issued subject to the condition that the school will follow the directions of department on fee structure etc.
6. As indicated by you in your EC application, you would not be requesting for sponsorship of land at any stage.

Yours faithfully,

(B.M. BAJPAL)  
DY. DIRECTOR OF  
EDN. DISTT. SOUTH

Dt:

No.

Copy to:

1. DDE(Act), Dte. of Education
2. ADE(Capital)Works) Dte. of Edn.
3. Education Officer, Zone- 23, Distt. South
4. Guard File

*Ananta Tolan*

*Ananta Tolan*

Manager

Amity International School  
Pushp Vihar, New Delhi-110017

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
OFFICE OF THE DEPUTY DIRECTOR OF EDUCATION  
DISTRICT SOUTH, C-BLOCK, DEFENCE COLONY NEW DELHI-110024

No.F DE.50/DDE(S)/Zone S 23/PS/2009/1214-80

Dated 23.07.2009

To

The Manager/Principal,  
Amity International School,  
Sector-7, Pushp Vihar,  
New Delhi-110017.

Sub: Grant of regular Recognition to the Amity International School, up to Senior Secondary Level from Nursery to 12 in Science, Commerce & Humanities streams (without aid) w. e. f. the academic session 2009-2010.

Sir,

With reference to your application dated 26.11.2005 on the above cited subject, I am directed to convey that the Director of Education has accorded approval for Regular Recognition to the school as per norms of DSEAR-1973 from Nursery to 12<sup>th</sup> (Senior Secondary Level) without aid with Science, Commerce & Humanities streams w.e.f. the academic session 2009-2010 subject to fulfillment of the following conditions:-

1. That the Society will refund all the money taken from school within 3 months and its compliance be submitted along with documentary evidence within the stipulated period.
2. That the audited accounts for the year 2008-09 should be submitted for the verification of the same by the Accounts Officer.
3. That the school shall abide by the provision of DSEAR 1973 and Rules framed there under as well as the instructions issued by the Director of Education from time to time
4. That the school shall admit students without any discrimination of religion race or place of births as per the norms of the department.
5. That the school shall appoint full time qualified and eligible staff as per the recruitment rules and the norms of the department
6. That the school shall equip the science lab as per the norms of the department and suitable facilities for practical work shall be provided to the students.
7. More science goods shall be purchased during the current year. A list should be furnished to the Education Officer for verification.
8. That a proper library shall be established and facilities for reading room shall also be made available for students as well as teachers. Books as per the ratio of ten books per students may be provided and facilities of reading room shall also be provided immediately and more books be purchased by the start of the next session and list of books furnished to the Education Officer for verification.

Excd.  
Vishy  
✓

*Anneeta Tolan*  
Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

*Anneeta Tolan*  
Manager  
Amity International School  
Pushp Vihar, New Delhi-110017



9. Adequate sports material shall be purchased and made available to the students immediately.
10. That the school shall strictly abide by the provisions of Delhi School Education Act & Rules, 1973 and payment will be made as per the section 10(1) of Delhi School Education Act, 1973 read with 126 of the Rules to all the employees by crossed cheque.
11. That the enrolment in each class shall not exceed the number of students calculated @ 10 sq. ft per student for the available floor area of the classroom and the school shall provide adequate and sufficient accommodation as per the norms of the Directorate of Education, Delhi in each class.
12. That the school shall dispense with the services of unqualified and over-aged staff, if any, immediately.
13. That the Govt. nominee on the Managing Committee may be informed of every meeting with advanced intimation.
14. The Managing Committee shall regulate the functioning of the school strictly in accordance with the provision of the Act and the Rules.
15. That all the facilities prescribed under Rule 50 & 51 of the D.S.E.R 1973 shall be made available to the students.
16. That the arrangement of good drinking water shall be made available to all the students/teachers and sanitary facilities shall also be provided to the students.
17. Health Certificate may be obtained from the MCD from time to time and be submitted to the Education Officer for verification.
18. That the Managing Committee of the school shall create reserve fund equivalent to three months salary in a joint account in the name of Deputy Director of Education (South) and the Manager of the school in a scheduled / nationalized bank with in three months and proof be submitted.
19. Proof to the effect that the staff as required for the Sr. Secondary level classes has been appointed as per recruitment rules be provided to the Education Officer for verification.
20. That the copies of the appointment letter issued to the staff be provided to the Education Officer for verification.
21. That the school shall not run any unrecognized classes or any other activities within the school premises and all the recognized classes shall be run at one place at the above address only.
22. Provident Fund register should be maintained and cash book be completed and shown to Education Officer of the zone for verification from time to time.
23. Arrears of VIth Pay Commission if any shall be paid immediately to the staff working in the school.
24. That the violation of any instruction / orders / conditions / rules and regulation of the Department shall lead to the withdrawal of recognition of the school.

*Aneeta Tolan*

**Principal**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

*Aneeta Tolan*

**Manager**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

... school shall comply with the orders of the Director of Education regarding the arrangements to be made for transportation of the school students to and from the school and those relating to the eligibility of the driver and the conductor of the bus, the number of children to be accommodated in the bus.

26. That the school should comply with the orders of the Director of Education issued vide no. PS/DE/2004/10496-11595 dated 27/4/2004 & Notification dated 25.01.2007 regarding free-ship to the children of economically weaker section of the society, if applicable.
27. The school will provide European toilet with one metre wide door and ramps for free movement of disabled children.
28. That the school should comply with the order/Circular of the Director of Education issued vide No.262-362 dated 17.01.2005 regarding fire safety measures in schools.
29. That the up-gradation granted is subject to fulfillment of conditions of affiliations of CBSE and the school should not start Secondary & Senior Secondary Classes without grant of affiliation by the Board concerned.
30. That a report of the fulfillment of the conditions giving the extent to which each condition has been fulfilled shall be sent to the Education Officer every six months.

Yours faithfully,

*Anita Satia*

(ANITA SATIA)  
DEPUTY DIRECTOR OF EDUCATION (SOUTH)

No.F.DE.50/DDE(S)/Zone S.23/PS/2009/

Dated:

Copy to the :-

1. R.D. (South), Dte. Of Education, C-4 Vasant Vihar, Delhi.
2. Secretary, CBSE, Preet Vihar, Delhi.
3. D.D.E. (Planning), Old Sectt., Delhi
4. DDE (CW), Old Sectt., Delhi
5. ADE (Act), Old Sectt., Delhi
6. P.S to DE, Old Sectt., Delhi
7. PA to DDE(South), Defence Colony, New Delhi
8. Guard file.

(ANITA SATIA)  
DEPUTY DIRECTOR OF EDUCATION (SOUTH)

*Aneeta Tolan*  
**Principal**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

*Aneeta Tolan*  
**Manager**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

सं. प्र.सं.—जाब 661—5 किताबें प्रत्येक में 100 × 4—24-10-2000

परिशिष्ट 'ब'

"दक्षिणी क्षेत्र"



प्रपत्र—1

(उपविधि सं० 7, 6)

दिल्ली नगर निगम

पत्र संख्या सं०  
नवशा सं०

1/CC/B/S/105 dt-13/4/2005  
4637/1071/R/2002 dt 14/11/03

क्रमांक

दिनांक

D-30/EE(B)/52/06  
1-4-2006

श्री/श्रीमती/कुमारो

Tendraprasatha School, Hindu Girls Sr. Sec. School  
Sector-7, M B Road, N. Delhi.

प्रधिभोग प्रमाण-पत्र

घातकी समापन सूचना दिनांक 14-10-2003 के संदर्भ में मैं एतद् द्वारा प्रमाणित करता हूँ कि प्लान सं. Tendraprasatha Hindu Girls Sr. Sec. School स्कीम में निर्मित भवन का, जिसका विवरण नीचे दिया गया है तथा जिसके नक्शा क्रमांक द्वारा स्वीकृत किये गये थे, भवन उपविधियों के संदर्भ में तथा निर्माण सम्बन्धी सुरक्षा, पगिन सुरक्षा, उसके फन्दर तथा घास-पास की सफाई की स्थिति के सम्बन्ध में जांचका किया गया और उसे प्रधिभोग के योग्य घोषित किया जाता है।

Basement Floor

Basement No.

निर्माण का विवरण

निचली मंजिल

1. Class room — 18 Nos.
2. Corridor — 3 Nos
3. Toilet — 3 Nos.
4. M.P. Room — 1 No.
5. Stair Case — 4 Nos.
6. Lift — 1 No.
7. Rooms — 3 Nos.
8. Vanity — 2 Nos.
9. Electrical room — 1 No.
10. Fire Control Room — 1 No.
11. Entrance & Waiting Room — 1 No.

पहली मंजिल

1. Hall (Lab.) — 11 Nos.
2. Staff room — 2 Nos.
3. Reading room — 1 No.
4. Store — 10 Nos.
5. Toilet block — 4 Nos.
6. Stair Case — 4 Nos.
7. Lift — 1 No.
8. Corridors — 3 Nos.
- 9.
- 10.

द्वितीय मंजिल

1. Class rooms — 2 Nos.
2. Room — 2 Nos.
3. Toilet block — 1 No.
4. Store — 2 Nos.
5. Lift — 1 No.
6. Lift — 1 No.
7. Corridor — 3 Nos.
8. Staff room — 1 No.

चरसाती मंजिल 2nd floor

1. Room — 12 Nos.
2. Multipurpose Hall — 1
3. Multi purpose store room, 1 No.
4. V. Room — 1 No.
5. Toilet block — 6 Nos.
6. Stair Case — 2 Nos.
7. Lift — 1 No.
8. Corridor — 3 Nos.
9. Store — 2 Nos.
10. Staff room — 1 No.
11. Lobby

TERRACE FLOOR

1. Vanity — 2 Nos.
2. Machine room — 1 No.

हुते प्रायुक्त  
दिल्ली नगर निगम

Executive Engineer (B)  
M.C.U South Zone  
Green Park

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

केन्द्रीय माध्यमिक शिक्षा बोर्ड  
Central Board of Secondary Education  
संवधता - Online School Affiliation & Monitoring System R-2.0

As per new Affiliation Bye-Laws

Total No. of Schools affiliated with CBSE : 24578

CBSE School Directory

Keyword wise • Affi. No. wise • State wise • Region wise • School level wise • Disaffiliated schools

Enter Affiliation No. : 2730612

SNo	AffNo, School & Head Name	Address, Phone & Email
1	<b>Affiliation No.</b> 2730612 <b>Name:</b> AMITY INTERNATIONAL SCHOOL <b>Head/Principal Name:</b> AMEETA MOHAN <b>Status of the School:</b> Senior Secondary <b>Affiliated up to:</b> 31/03/2023	<b>Address:</b> PUSHP VIHAR, SOUTH DELHI ,110017 <b>Phone No:</b> 011 ,29561561 <b>Email:</b> mrsameetamohan@gmail.com

*Amruta Mohan*  
**Principal**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

*Amruta Mohan*  
**Manager**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

CERTIFICATE


OFFICE OF THE DISTRICT SOUTH DIRECTORATE OF EDUCATION  
GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
SECTOR-3, R.K. PURAM, NEW DELHI-110022

No.F DDE(ZONE-23)/Distt.South/2018 338 to 340


dated: 23/03/18

CERTIFICATE

The Amity International School, Sector-7, Pushp Vihar, New Delhi-110017 (ID No.1923350) is recognized under DSEAR, 1973 from Directorate of Education, Govt.of NCT of Delhi, running classes from KG to XII<sup>th</sup>.



(V.K. GAUR)  
Dy.DIRECTOR OF EDUCATION (ZONE-23)  
DISTRICT SOUTH



Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

  
Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

### Municipal Corporation of Delhi Health Deptt. : South Zone

No. 536 DHO : SZ : 2006

Date 28-08-2006

Name of the school Amity International School.

Site Pushp Vihar, New Delhi.

Shift Morning

No. of students Boys 7 Girls 1529

No. of staff Male 7 Female 73

- 1. That the accommodation provided for in class rooms as calculated floor space in the class room is sufficient/insufficient. *Sufficient.*
- 2. That the class room are well ventilated/ill-ventilated. *well ventilated.*
- 3. That the class room are well lighted/ill lighted. *well lighted.*
- 4. That the class rooms are kept/not kept neat and clean. *Neat & clean.*
- 5. That the building/class/rooms does not repair/white washing etc. *not required.*
- 6. That the drinking water is wholesome/is unwholesome/is not wholesome (1 tap per 50 students) *D. J.B.*
- B. Sypho system exists.
- 1 tap for 50 students normally is needed.
- 7. That the latrine arrangement is fluent type *Flush Type.*
- 8. No. of seats 36716 to flush type seat per 40 male students is required.
- 9. That the urinal arrangement is adequate/inadequate (for 20 male students 1 urinal is required for 25 female students latrine cum urinal is required. *adequate.*
- 10. Separate for staff 12

*N.O.C. may please be issued to the party from health Deptt of New.*

*Anita*  
Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

*Aneeta Tolan*  
Principal  
Amity International School  
Pushp Vihar, New Delhi-110017

*[Signature]*  
29/8/06  
By Health Officer  
South Zone : Green Park  
New Delhi  
Deputy Health Officer  
South Zone (MCD)

*Aneeta Tolan*  
Manager  
Amity International School  
Pushp Vihar, New Delhi-110017

**AMITY INTERNATIONAL SCHOOL**

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693

E-mail: principal@aispv.amity.edu

**Fee structure for the session 2021-22**

Sr No	Grade	Fee Payable (Annually)
1	Grade - KG	₹ 1,28,226
2	Grade - I	₹ 1,02,715
3	Grade - II	₹ 1,02,715
4	Grade - III	₹ 1,02,415
5	Grade - IV	₹ 1,02,715
6	Grade - V	₹ 1,01,365
7	Grade - VI	₹ 98,385
8	Grade - VII	₹ 98,385
9	Grade - VIII	₹ 98,835
10	Grade - IX	₹ 1,02,835
11	Grade - X	₹ 1,01,385
12	Grade - XI	₹ 98,309
13	Grade - XII	₹ 98,709

*Anneeta Yolan*

**Principal**  
Amity International School  
Pushp Vihar, New Delhi-110017

*Anneeta Yolan*  
**Manager**  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School

**AMITY INTERNATIONAL SCHOOL**

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693

E-mail: principal@aispv.amity.edu

**Amity International School, Sector-07, Pushp Vihar-School Calendar 2021-22**

S.No	Reopening/Breaks/Exam Dates	Classes	Days & Dates Session 2021-22
1	School Reopens (New Session)	XII	Wednesday, 24 February 2021
		II to X	Thursday, 18 March 2021
		I	Monday, 12 April 2021
		XI	To be decided after date Sheet
2	Summer Break	I to IX	Monday 17 May 2021 to Friday 02 July, 2021
		X	Monday 31 May 2021 to Friday 02 July, 2021
		XII	Monday 31 May 2021 to Wednesday 30 June, 2021
3	Classes in Summer	X & XII	Monday 17 May 2021 to Friday 28 May, 2021
4	School reopening after Summer Break	XI & XII	Thursday 01 July 2021 (New session for XI)
		I to X	Monday, 05 July 2021
5	Dussehra Break	1 to XII	Friday 15 October 2021 to Tuesday, 19 October 2021
6	Diwali Break	1 to XII	Wednesday 03 November to Sunday 07 November 2021
7	Winter Break	VI to XII	Wednesday 29 December 2021 to Saturday 01 January 2022
		I to V	Wednesday 29 December 2021 to Saturday 08 January 2022
8	Reopening after Winter Break	VI to XII	Monday, 03 January 2022
		I to V	Monday, 10 January 2022
	EXAMINATIONS		
9	PT1/Revision Test	IX & X	Monday, 05 July 2021 to Monday, 12 July 2021
10	1 <sup>st</sup> Term Exam	XI & XII	Monday 16 August 2021 to Friday 27 August 2021
		V - VIII	Monday, 06 September 2021 to Saturday 17 September 2021
		IX, X, XI	Monday, 06 September 2021 to Saturday 17 September 2021

*Meeta Tolan*  
Principal  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School

Manager

*Meeta Tolan*  
Amity International School  
Pushp Vihar, New Delhi-110017





# AMITY INTERNATIONAL SCHOOL

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693

E-mail: principal@aispv.amity.edu

11	PT 2	IX & X	Monday, 6 <sup>th</sup> September to Thursday 16 <sup>th</sup> September 2021
12	Term 1 Exam	XI	Monday, 6 <sup>th</sup> September to Thursday 16 <sup>th</sup> September 2021
13	Practice Test	XII	Monday, 6 <sup>th</sup> September to Thursday 16 <sup>th</sup> September 2021
14	Pre- Boards for Term 1	X & XII	October 2021
15	Ist Term Board Exam	X & XII	October- November
16	Term – 2 Class XI	XI	Thursday 18 <sup>th</sup> November to Monday 29 <sup>th</sup> November 2021
17	Pre -Boards Term 2 Exam	X & XII	February 2022
18	Term – 2 Board Exam	X & XII	February – March 2022
19	Annual Examination	V to IX, XI	Monday, 07 February to Saturday, 19 February 2022
20	New Session (2022-23)	X & XII	Wednesday, 23 February 2022 tentative
		I to IX	Monday, 07 March 2022 tentative
		XI	Monday, 04 April 2022 tentative

*Anneeta Tolan*

**Principal**  
Amity International School  
Pushp Vihar, New Delhi-110017

*Anneeta Tolan*  
Manager  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School

**AMITY INTERNATIONAL SCHOOL**

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693

E-mail: principal@aispv.amity.edu

**LIST OF SCHOOL MANAGEMENT COMMITTEE MEMBERS**

SN	NAME OF THE MANAGING COMMITTEE MEMBERS	DESIGNATION IN SMC
1	DR. (MRS.) AMITA CHAUHAN	CHAIRPERSON
2	MR. ANAND CHAUHAN	VICE PRESIDENT
3	MR. ARUN CHAUHAN	MEMBER
4	AR. AJAY CHAUHAN	MEMBER
5	MR. MANJIT CHAUHAN	MEMBER
6	MR. AASHISH BINDRA	MEMBER
7	DR. TPS CHAUHAN	MEMBER
8	MR. ASEEM CHAUHAN	MEMBER
9	MS. SAPNA CHAUHAN	MEMBER
10	MS. RENU SINGH	MEMBER
11	MR. AJIT CHAUHAN	MEMBER
12	MS. PRITI ARORA	PTA REPRESENTATIVE
13	DR. NAVEEN MOHAN TRIKHA	PTA REPRESENTATIVE
14	MS. AMEETA MOHAN	SECRETARY
15	MS. DIVYA BHATIA	MEMBER
16	MS. SHALINI KHANNA	TEACHER REPRESENTATIVE
17	MS. AMIKA HANDA	TEACHER REPRESENTATIVE
18	MR. SHASHI BHUSHAN HOS GBSSS NO. 2 (1923009) DR. AMBEDKAR NAGAR SEC- IV	DIRECTORATE NOMINEE
19	MRS. SANTOSH BHARDWAJ HOS GGSSS NO. 2 SEC- IV(1923045) DR. AMBEDKAR NAGAR	DIRECTORATE NOMINEE
20	MR. HARIDAS MEENA HOS GBSSS NO. 1 (1923008) DR. AMBEDKAR NAGAR- IV	ADVISORY BOARD NOMINEE
21	MS. MANJU GAUTAM HOS GGSSS NO. 1 (1923044) DR. AMBEDKAR NAGAR	ADVISORY BOARD NOMINEE
22	MR. B.N. BAJPAI	SPECIAL INVITE
23	MS. ANITA SATIA	SPECIAL INVITE
24	MR. C.P. KATARIA	SPECIAL INVITE

*Ameeta Mohan*  
Principal  
Amity International School  
New Delhi-110017

*Ameeta Mohan*  
Manager  
Amity International School  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School

**AMITY INTERNATIONAL SCHOOL**

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693  
E-mail: principal@aispv.amity.edu

**LIST OF PTA MEMBERS**

a) Chairperson	Mrs. Ameeta Mohan	Principal (Ex- officio)
b) Vice Chairperson	Mrs. Amika Handa	Sr. Headmistress
c) Hony Secretary	Ms. Priti Arora	Parent(Member of Managing Committee also)
d) Hony Jt. Secretary	Mrs. Shalini Khanna	Vice Principal
e) Hony Treasurer	Admin Officer	
f) <u>Members</u>		
	(i) Mrs. Kavita Sharma	Parent Teacher
	(ii) Mrs. Divya Bajaj	Parent Teacher
	(iii) Ms. Arpita Chauhan	Parent Teacher
	(iv) Mrs. Sangeeta Rai	Parent Teacher
	(v) Mrs. Geetanjali Chaudhary	Parent Teacher
	(vi) Ms. Ashoo Wadhera	Parent Representative
	(vii) Ms. Neerja Mukheree	Parent Representative

*Ameeta Mohan*

**Principal**  
**Amity International School**  
Pushp Vihar, New Delhi-110017

*Ameeta Mohan*  
Manager

**Amity International School**  
Pushp Vihar, New Delhi-110017



South Asia

ISO 9001 : 2008 Certified School



# AMITY INTERNATIONAL SCHOOL

Sector - 7, Pushp Vihar, New Delhi - 110 017 Tel.: 29561561, 29561693  
E-mail: principal@aispv.amity.edu

26.05.2021

## To whomsoever it may concern

As per the Section (2.4.7 (B) of Affiliation By Laws, this is to certify that the undersigned has gone through the contents of the books, prescribed by the school to the best of her knowledge and belief and ensure that it is safe for its readers.

**Mrs. Ameeta Mohan**  
**Principal**

**Manager**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**

**Principal**  
**Amity International School**  
**Pushp Vihar, New Delhi-110017**



South Asia

ISO 9001 : 2008 Certified School

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
DIRECTORATE OF DELHI FIRE SERVICE, NEW DELHI - 110001

F.6/DFS/MS/BP/2017/Sk/11/17

Dated 29/03/17

Executive Engineer (Bldg.) HQ-1  
South Delhi Municipal Corporation  
Office of Executive Engineer, Bldg. HQ  
8th Floor, Civic Centre, Minito Road.

61°  
54'13"  
AE-VI  
54'13"

- 2) Clearance of building plans from fire safety point of view in r/o addition /alteration in existing school building for Indraprastha Girls Sr. Secondary School, Sec-7, M.B. rd, New Delhi

Please refer to your letter No. D/101/EE(B)HQ-1/SDMC/17 dated 02.03.2017 on the subject cited above. In this connection it is to inform you that the above referred building plans have been scrutinized from fire safety point of view and observed that there is proposal of addition/alteration in existing school Indraprastha Girls Sr. Secondary School, Sec-7 MB road, w/ Delhi on plot area of 9627.10 m2. The proposed building is comprised of basement, ground and four upper floors having covered area 5300.29, 1708.89, 2221.61, 2221.01, 11.21 and 1817.37 m2 respectively. The plot abuts on 24 meter wide main road and 108 meter wide entrance gate. 06 meter wide motorable road and 09 meter wide turning radius for fire tender movement is proposed to be provided all around the h rise building. The height of the proposed building is 17.95 meter up to terrace floor.

04 No's of staircases of 1.5 meter each from ground to upper floors, further 06 Nos of meter each and a ramp of 7.2 meter serving in basement is proposed to be provided in the building. One lift is also proposed in the building.

The fire safety arrangement such as fire extinguishers, hose reel, wet riser/down me, automatic sprinkler system in basement, MOEFA, UG tank of 1,00,000, overhead tank 25,000 liters capacity, 01 electric pump of 2280 LPM capacity, 01 diesel pump of 2280 LPM 1 terrace pump of 900 LPM, mechanical ventilation in basement, fire control room is proposed to be provided as per NBC part 4.

Open set back area is not checked as it shall be checked by concerned building planing authority.

**There is no objection to this department for construction of said building subject to the compliance of the following fire safety recommendations:-**

1. Access to building: The premises is proposed to be located on 24.0 meter wide main road and approachable through 06 meter wide main gate. The entrance gate shall fold back for free movement of fire service vehicles against the compound wall of the premises thus leaving the exterior access way with in the plot. The archway, if any, shall not be at a height less than 5 meters. 06 meter wide motorable road with of 09 meter turning circle all around the high rise building as marked on the plan shall be ensured for free movement of fire tender as per clause 6.2.2 of UBBL-2016.
2. Number, width, Type and arrangement of exits: 04 No's of staircases of 1.5 meter each serving from ground to upper floors and 06 No's of staircases of 1.5 meter each meter serving to the basement are proposed to be provided in the building. They shall meet the requirements as per NBC part -4/UBBL-2016. The clear cut width of the

4. **Compartmentation:** The building shall be suitably compartmentalized as per NBC part 4/UBBL-2016 so that the fire / smoke remain confined to the area where fire incidents have occurred and does not spread to the remaining part of the building.
  - i. The services, standby generator, store etc. must be segregated from other by erecting fire-resisting wall of not less than 04hours rating. Each of the compartments must be individually ventilated and the opening for entry into each of these compartments must be fitted with self-closing fire / smoke check doors of not less than one hour fire rating fitted with magnetic latches.
  - ii. All electric cables ducts and shafts shall be properly sealed at all floors with fire resisting material of similar rating. These shafts shall be minimum 02 hours fire rating.
  - iii. Under no circumstances, two services shall pass through the same shaft, i.e. separate shaft be used for different purpose.
  - iv. The entry to the staircase from all levels shall be segregated with a self-closing fire / smoke check door of not less than 02 hour fire resistance rating. All vertical and horizontal openings including the gap between the glazing and the slab at each level in entire building shall be sealed properly with the non-combustible material having 02 hr fire resistance. Wherever false ceiling / suspended ceiling is provided, the same shall be of non-combustible in nature and that the compartmentation shall be extended up to ceiling level. Water curtain system as proposed on the plans shall be provided in the basement.
5. **Smoke Management system:** Smoke venting facilities shall be provided as per NBC-1V/UBBL-2016. Smoke venting facilities shall be provided as per NBC Part IV, Fire and Life Safety. Mechanical extractors shall have an interlocking arrangements and the system shall be of such design as to operate on actuation of heat/ smoke sensitive detectors or sprinklers. Smoke extractor system shall be designed to permit 12 air changes per hour in case of fire. A system of fresh air supply shall be provided at floor level and smoke outlet at ceiling level. Following points shall be ensured.
  - a. All ducting shall be constructed of substantial gauge metal conforming to IS: 655. Air duct serving main floor areas, corridors etc. shall not pass through the staircases enclosures.
  - b. Automatic fire dampers shall be provided in the ducts at the inlets of the fresh air and return air of each compartment/floor.
  - c. Automatic fire dampers shall be closed automatically upon operation of a detector/sprinkler.
  - d. The air ducts for every floor/compartment shall be separated. In no way interconnected with the ducting of any other compartment.
6. **Fire Extinguishers:** The portable fire extinguishers of ISI mark suitable to risk shall be provided in the building as per UBBL-2016. The number of the fire extinguishers may have to be increased later when the layout of the partition etc. is known. All the fire extinguishers must be installed and maintained in accordance with IS: 2190-1992.

17.

16

1:

1

7. First into a
8. Auto
9. MOE
10. Publ
11. Auto
12. Inter
13. Publ
14. Capit
15. Exit
16. Equip
17. Stand

